

Alliance Medical Limited

# Bristol PET-CT Centre

## Inspection report

Southmead Hospital  
Southmead Road, Westbury On Trym  
Bristol  
BS10 5NB  
Tel: 01926482000  
[www.alliancemedical.co.uk](http://www.alliancemedical.co.uk)

Date of inspection visit: 14 June 2022  
Date of publication: 25/07/2022

This report describes our judgement of the quality of care at this service. It is based on a combination of what we found when we inspected, information from our ongoing monitoring of data about services and information given to us from the provider, patients, the public and other organisations.

## Ratings

### Overall rating for this location

Good



Are services safe?

Requires Improvement



Are services effective?

Inspected but not rated



Are services caring?

Good



Are services responsive to people's needs?

Good



Are services well-led?

Good



# Summary of findings

## Overall summary

This service had not been previously inspected. We rated it as good because:

- The service had enough staff to care for patients and keep them safe. Staff understood how to protect patients from abuse. The service controlled infection risk well. Staff assessed risks to patients, acted on them and kept good care records. Staff knew how to report patient safety incidents.
- Staff provided good care and treatment and gave patients enough to eat and drink. Managers monitored the effectiveness of the service. Staff worked well together for the benefit of patients. Scanning services were available five days a week. Audits were comprehensive, meaningful and acted on.
- Staff treated patients with compassion and kindness, respected their privacy and dignity, took account of their individual needs, and helped them understand their conditions.
- The service planned care to meet the needs of local people, took account of patients' individual needs, and made it easy for people to give feedback. People could access the service when they needed it and did not have to wait for treatment. Staff went above and beyond to make adjustments to help meet the needs of individual patients.
- Leaders had the skills and abilities to run the service and were visible and approachable. They supported staff to develop their skills and take on more senior roles. The service had a vision for what it wanted to achieve. Staff at all levels were clear about their roles and accountabilities. Risks were recorded effectively and monitored. Governance systems worked well.

However:

- The service did not use the most up to date handover forms for equipment servicing and planned preventative maintenance.
- The service did not always carry out identification or pregnancy checks in line with company policy and legislation.
- Feedback forms and surveys were not available in languages and formats other than English.
- Centrally held training records did not reflect which training was optional and which was mandatory.

# Summary of findings

## Our judgements about each of the main services

### Service

**Diagnostic  
imaging**

### Rating

**Good**



### Summary of each main service

This service has not been previously inspected. We rated it as good. See the summary above for details.

# Summary of findings

## Contents

### Summary of this inspection

Background to Bristol PET-CT Centre

Page

5

Information about Bristol PET-CT Centre

5

---

### Our findings from this inspection

Overview of ratings

7

Our findings by main service

8

---

# Summary of this inspection

## Background to Bristol PET-CT Centre

Bristol PET-CT Unit is based at North Bristol Trust and is owned and operated by Alliance Medical Limited. This service performs PET (Positron Emission Tomography) and CT (Computed Tomography) scans for NHS patients the local NHS trusts and surrounding geographical areas. This offers patient choice for scanning.

The Bristol PET-CT Centre is situated within a purpose built department within the nuclear medicine department and has a multi-slice PET-CT Scanner which is fitted with various reconstruction algorithms, the choice of use dependent on the reporting radiologist.

The service offers PET-CT imaging only which is a type of molecular imaging which provides valuable information about the structure or anatomy of the tissues being examined. By giving small quantities of a radioactive injection PET produces images showing how the cells of the body are functioning. By combining PET and CT in single scanner, images are produced which can reveal information regarding the exact location, size, nature and extent of disease anywhere in the body with much greater detail.

The service operates 7.30 am to 7.30 pm Monday to Friday.

From 30 June 2021 to 13 June 2022, the service carried out 3468 examinations. In the same timeframe, 40 patients did not attend their appointment.

The service is provided as part of a national contract issued and overseen by NHS England and Improvement.

The service is registered for the regulated activity of diagnostic and screening procedures.

This service was registered in 2017 and has a registered manager in post.

We have not previously inspected or rated this service.

## How we carried out this inspection

The team that inspected this location comprised of one CQC inspector and a specialist advisor with expertise in diagnostic radiography including nuclear medicine. We spoke with four members of staff including the registered manager, four patients and observed interactions with patients throughout the day. We reviewed documents and records kept by the provider and inspected the scanning department.

There were no special reviews or investigations of the location ongoing by the CQC at any time during the 12 months before this inspection.

You can find information about how we carry out our inspections on our website: <https://www.cqc.org.uk/what-we-do/how-we-do-our-job/what-we-do-inspection>.

# Summary of this inspection

## Outstanding practice

We found the following outstanding practice:

- Staff double checked isotopes and activity prior to administering injections to patients and recorded this had been done.
- Staff used a physical barrier to prevent unintended or accidental access to the scan room.
- One member of staff was working towards a university accredited qualification with potential to continue to a full BSc (Hons) in diagnostic radiography.
- The department held one scanning slot each day for urgent patients discussed at multi-disciplinary meetings the day before.
- The registered manager used a live spreadsheet to centralise and monitor all ongoing, completed and outstanding actions from inspections, feedback and meetings.

## Areas for improvement

Action the service **MUST** take is necessary to comply with its legal obligations. Action a service **SHOULD** take is because it was not doing something required by a regulation but it would be disproportionate to find a breach of the regulation overall, to prevent it failing to comply with legal requirements in future, or to improve services.

### Action the service **MUST** take to improve:

- The service **MUST** ensure it follows policy to accurately and consistently carry out identity checks for all patients.  
**Regulation 12 (2) (a) and (b) of the Health and Social Care Act 2008 (regulated Activities) Regulations 2014**
- The service **MUST** ensure it carries out pregnancy checks for all relevant patients. **Regulation 12 (2) (a) and (b) of the Health and Social Care Act 2008 (regulated Activities) Regulations 2014**

### Action the service **SHOULD** take to improve:

- Ensure it uses the most up to date handover forms for equipment servicing and planned preventative maintenance.
- Make sure scans outsourced for reporting are reported within agreed time frames.
- Consider using feedback forms and surveys in languages and formats other than English.
- Ensure training records reflect which training is optional and which is mandatory.
- Make sure all mandatory audits are carried out within accepted timelines in line with legal requirements.

Use approved translators for the entire duration of patient appointments.






# Our findings

## Overview of ratings

Our ratings for this location are:

	Safe	Effective	Caring	Responsive	Well-led	Overall
Diagnostic imaging	Requires Improvement	Inspected but not rated	Good	Good	Good	Good
Overall	Requires Improvement	Inspected but not rated	Good	Good	Good	Good

# Diagnostic imaging

Safe	Requires Improvement 
Effective	Inspected but not rated 
Caring	Good 
Responsive	Good 
Well-led	Good 

## Are Diagnostic imaging safe?

Requires Improvement 

We have not rated safe before. We rated it as requires improvement.

### Mandatory training

**The service provided mandatory training in key skills to all staff and made sure everyone completed it. However, some key training subjects were listed as optional, so staff had not completed them.**

Staff received and kept up to date with most of their mandatory training. Staff regularly undertook mandatory e-learning, which had continued without interruption during the pandemic. Where face- to-face training was required, such as immediate life support, sessions had been arranged with staff.

The mandatory training was comprehensive and mostly met the needs of patients and staff. The unit had a training matrix which showed 98% staff compliance against 17 mandatory training subjects.

There was evidence all staff working with radiation had appropriate training in the regulations, radiation risks, and the use of radiation and we saw from training records, modules covering Ionising Radiation (Medical Exposures) Regulations (IR(ME)R) 2017 updates were listed as mandatory, in line with company policy. 5 out of 6 staff had undertaken this training at the time of our inspection. All nuclear medicine practitioners had completed the training in line with legislation.

Training compliance was monitored centrally by Alliance Medical. Managers monitored mandatory training and alerted staff 30 days and 60 days before their training was due to expire.

Clinical staff completed training on recognising and responding to patients with mental health needs, learning disabilities, autism and dementia.

### Safeguarding

**Staff understood how to protect patients from abuse and the service worked well with other agencies to do so. Staff had training on how to recognise and report abuse and they knew how to apply it.**



# Diagnostic imaging

Staff received training specific for their role on how to recognise and report abuse. Staff maintained up-to-date mandatory e-learning, which included Safeguarding Vulnerable Adults, Safeguarding Adults at Risk and Safeguarding Children modules. Training compliance was 100%, and staff received level two safeguarding training for both adults and children and five staff were trained to level three safeguarding adults and one staff member to level three safeguarding children.

Staff could give clear examples of how to protect patients from harassment and discrimination, including those with protected characteristics under the Equality Act (2010).

Staff knew how to identify adults and children at risk of, or suffering, significant harm and worked with other agencies to protect them.

Staff knew how to make a safeguarding referral and who to inform if they had concerns.

Staff were aware of the corporate Safeguarding Adults and Safeguarding Children Policies and referred to them if they had any safeguarding concerns. Safeguarding Leads' contacts for the adjoining NHS trust and Alliance Medical were displayed in the unit.

## Cleanliness, infection control and hygiene

**The service controlled infection risk well. Staff used equipment and control measures to protect patients, themselves and others from infection. They kept equipment and the premises visibly clean.**

Clinical areas were visibly clean and had suitable furnishings which were also clean and well maintained. Cleaning staff accessed the department out of hours due to radioactive materials stored on site and were restricted to general areas only.

Staff cleaned equipment after patient contact. We saw equipment cleaning was incorporated into daily cleaning checklists. In all clinical areas we saw specialist cleaning wipes and saw staff using them to clean equipment between each patient scan.

Areas where radioactive materials were kept, such as the injection preparation room and the waste storage cupboards, were cleaned by clinical staff. All restricted areas including waste storage areas were visibly clean and uncluttered.

Staff followed infection prevention and control principles, including the use of personal protective equipment (PPE). The provider had a central PPE hub based at head office and an electronic based reporting and ordering system to provide an effective and efficient stock of PPE and cleaning materials.

Precautions were taken when seeing people with suspected communicable diseases such as influenza. Where a patient was known or suspected as having a communicable disease, they were given an appointment at the end of the scanning list to enable deep cleaning after their scan.

The service used infection control measures when carrying out a consultation or performing a scan which included the use of face masks, aprons and gloves. The unit had been classed as safe and secure following completion of a COVID-19 secure risk assessment, which was reviewed quarterly.

The unit carried out a monthly infection prevention and control audit and the latest monthly hand hygiene audit from June 2022 showed 100% compliance.

# Diagnostic imaging

Cleaning records were up-to-date and demonstrated that all areas were cleaned regularly.

## Environment and equipment

**The design, maintenance and use of facilities, premises and equipment kept people safe. Staff managed clinical waste well.**

Each patient uptake cubicle had a call bell and staff explained how they responded to these but maintained a safe distance from the patient. The scan room and every uptake cubicle was constantly observed during scanning via closed circuit television (CCTV). Patients could reach call bells and staff responded quickly when called.

The design of the environment followed national guidance. The design of a Positron Emission Tomography and Computed Tomography (PET-CT) unit took account of the doses of radiation administered to patients. As such, individual cubicles were required for each patient to lie in after their injection. Staff had enough space to move freely through the department but were also able to maintain safe distances from radioactive materials and patients after they had received their injection.

Patients who had received their radioactive injection had their own separate toilet to use to prevent contamination for staff and other patients.

Staff carried out daily safety checks of specialist equipment. The PET-CT scanner underwent daily quality assurance checks and staff could describe what they would do if any of the checks fell outside of acceptable ranges. Other specialist equipment such as Geiger counters and the assay calibration device, were checked daily and serviced annually.

Staff disposed of clinical waste safely. Staff showed us how they monitored and stored clinical waste bags which contained radioactive waste. Staff explained radioactive clinical waste had to be stored until the level of radiation had decayed to a safe level. The waste could then be disposed of in the same way as normal clinical waste. Every bag and sharps bin disposed of was coded and records were kept of the background radiation at the time of storage and then disposal.

Resuscitation equipment was readily available, the trolley was adequately stocked and there was evidence of regular reviews. The unit had two emergency kits available, one of which was maintained by the hosting NHS Trust.

The imaging service had completed risk assessments for all new or modified uses of radiation, which were reviewed every two years or whenever a change occurred. This was last undertaken in December 2021 and signed off by the medical physics expert.

Risk assessments addressed occupational safety as well as considering risks to people who used services and the public. For example, doses of radiation to members of the public and to patient escorts, such as nursing staff. If a member of staff or carer needed to be present during a scan, the dose of radiation they received was recorded on the electronic records system.

The service ensured controlled areas (where ionising radiation was present) were restricted to authorised personnel only.

# Diagnostic imaging

Ionising radiation was used as part of the CT element of the scan, so ionising radiation warning lights were not on during the PET scan. There was clear signage when ionising radiation exposure occurred and a physical fabric barrier across the scan room door to prevent accidental access.

The service ensured specialised personal protective equipment was available and used by staff and carers when needed. Staff showed us the syringe shields, lead screens and storage facilities for the radiopharmaceuticals and we saw staff use them to dispense and administer injections safely to patients.

The service had an equipment quality assurance programme for all scanning equipment and had input from a medical physics expert. Equipment was operated and maintained consistent with the manufacturers' recommendations.

There were service contracts for equipment and a clear process for maintenance of equipment and for reporting of any faults. As part of each service, handover documents were done for the engineer prior to service and again from the engineer after service. Documents contained details of known issues and repairs plus a general report on the performance of the equipment. However, handover documents used were not the most up to date versions and did not contain an additional safety check introduced following a serious incident at another PET-CT centre. Since the inspection, the service submitted evidence the new form was now in use.

The service managed aging equipment and equipment failures through a rolling capital replacement programme, which was overseen centrally at the provider headquarters. The scanner was five years old, so was not due for replacement until the end of the current contract in 2025.

The service monitored staff for radiation exposure using dosimeters. Staff wore one on their torso and finger-based dosimeters when handling, drawing up and administering radioisotopes. Dose reports were reviewed by the registered manager on a monthly basis.

The service had a dedicated spillage kit in the case of a radioisotope spillage or significant blood spillage after administration of the radioisotope to a patient. Spillage training was delivered by the medical physics expert every three years, in addition, the registered manager had planned some scenario-based training for June 2022. We requested the spillage policy which confirmed scenario-based training was to be completed annually. Staff told us they knew where the spillage kit was located and how to use it.

The service had an Environment Agency inspection in July 2021 with five recommendations or breaches. We saw two had been completed and actions were recorded against the other three using a live spreadsheet.

The service had enough suitable equipment to help them to safely care for patients. Staff explained that bariatric equipment and assistance with hoisting was available from the hosting trust if required.

## Assessing and responding to patient risk

**Staff completed and updated risk assessments for each patient and removed or minimised most risks. Staff identified and quickly acted upon patients at risk of deterioration.**

Staff responded promptly to any sudden deterioration in a patient's health. There were clear pathways and processes for the management of people who were, or became, clinically unwell. As part of the contract with the hosting NHS

## Diagnostic imaging

trust, staff followed the same emergency call process as the rest of the trust by dialling 2222 for help. Following an incident where transport for an inpatient had been delayed and the patient had deteriorated whilst waiting the unit manager ensured all transport patients were scanned in the morning sessions to make sure staff were onsite to monitor them.

There were processes to ensure the right person got the right scan, at the right time. Staff printed out all referrals in advance of patients attending and called the Ionising Radiation (Medical Exposures) Regulations (IR(ME)R) practitioner licence holder (formerly Administration of Radioactive Substances Advisory Committee licence holder) or referrer if there were any queries or discrepancies on the referrals. Staff told us they knew the licence holders well, spoke to them regularly and they were readily available for advice.

The service followed the Royal College of Radiologists' Standards for the communication of radiological reports and fail-safe alert notifications. As part of the National PET-CT Contract with NHS England, the service was committed to undertaking scans and processing reports within seven days. Images were uploaded to the Alliance Medical electronic system centrally, which was accessed by the IR(ME)R licence holder or another approved reporter. Final, verified reports were automatically transferred (along with images) to the trust picture archive and communication system (PACS) on publication of the report.

Staff did not always follow the Society of Radiographers "pause and check" guidance when checking patient identity before administering injections. The service audited compliance with identity checks and the latest audit for June 2022 showed 65% compliance. However, an action had been completed to address the area of non-compliance with all staff.

The imaging service ensured the radiation protection advisor and the medical physics expert were easily accessible for providing radiation advice, and occupied offices in the host hospital.

The service appointed multiple radiation protection supervisors in departments which used ionising radiation. Staff told us they had attended specialist training to undertake the radiation protection supervisor role and felt supported by senior management.

The service ensured the 'requesting' of a PET-CT scan was only made by staff or persons in accordance with IR(ME)R. The service held a list of approved referrers and any requests received from persons not on the list were immediately escalated by the IR(ME)R practitioner licence holder for clarification.

The service adopted a referral criterion which meant they did not scan anyone under the age of 18, but were developing with the host trust, criterion to scan children who could be attended by an adult crash team in the event of a medical emergency.

The service ensured staff were aware of women who were or may be pregnant before they were exposed to any radiation in accordance with IR(ME)R and for staff in accordance with Ionising Radiation Regulations (IRR) 2017. We saw posters displayed in patient areas telling them to speak to a nuclear medicine practitioner before they were scanned. Staff also showed us they could perform basic pregnancy tests for patients if necessary. Pregnancy status was recorded and scanned into the electronic patient record system. Compliance with pregnancy checks formed part of an annual (IR(ME)R) audit, specifically to comply with IR(ME)R Regulation 11(1)(f). However, the most recent audit from April 2022 showed 43% compliance and June showed 50% compliance against all aspects of the audit.

The service used an updated pregnancy policy which required all patients up to the age of 56 to be asked what gender they were assigned at birth to ensure the safety of all patients of childbearing age.

# Diagnostic imaging

There were clear processes to escalate unexpected or significant findings both at the examination and upon reporting. Images and reports were turned around within a seven-day window, so reports from scans were readily available to referrers.

The service had a set of local rules and employer's procedures available to protect staff and patients from ionising radiation.

Staff knew about and dealt with any specific risk issues. Staff understood the risk associated with extravasation (where intravenous medicine leaks into surrounding tissues). We reviewed the latest audit data from June 2022 which showed 100% compliance for all relevant staff.

## Staffing

**The service had enough staff with the right qualifications, skills, training and experience to keep patients safe from avoidable harm and to provide the right care and treatment. Managers regularly reviewed and adjusted staffing levels and skill mix, and gave bank, agency and locum staff a full induction.**

The service had enough nuclear medicine and support staff to keep patients safe. The service had four nuclear medicine practitioners, one clinical assistant, and one unit manager. Administrative support was provided by another nearby unit due to space constraints in the department.

The manager accurately calculated and reviewed the number of radiographers, technicians and support workers needed for each shift. The number of staff matched the planned numbers. Managers made sure bank and agency staff had a full induction and understood the service. Alliance Medical Limited supplied bank staff wherever possible to meet demand.

Agency and bank staff who worked for the service received a comprehensive induction and the service recorded training details for the staff centrally which aligned with mandatory training required by the service. Agencies supplying staff sent though details of training, and the clinical lead assessed the staff before they were signed off to work in the department.

Health Education England identified national shortages in the provision of clinical and diagnostic radiographers for cancer services. The provider ensured adequate staffing through a rolling recruitment programme from head office. Additionally, one member of staff was being supported to undertake further university accredited training.

## Records

**Staff kept detailed records of patients' care and treatment. Records were clear, up-to-date, stored securely and easily available to all staff providing care.**

Patient notes were comprehensive, and all staff could access them easily. There were no delays in staff accessing the records. Records were stored securely.

The service ensured imaging requests were appropriate and included the relevant information to allow for requests to be justified in accordance with Ionising Radiation (Medical Exposures) Regulations (IR(ME)R). The practitioner licence holder was responsible for vetting and approving requests from a pre-approved list of referrers. Any queries or issues were followed up by the licence holder prior to being passed to the service for appointment.

# Diagnostic imaging

We reviewed four patient request forms and saw all required information was present on all four forms, including protocols, medical history and clinical indication for the scan.

As part of the justification process to carry out exposure to radiation, the imaging service attempted to make use of previous images of the same persons requiring the test. The service stored images on a wider picture archive communication system, which meant they could access previous images if the patient had been scanned at any of the Alliance Medical sites. A centralised caseload team requested and ensured all previous images were made available to the radiologist when they came to report the scan.

Where appropriate, patient information was transported with patients when they attended for a scan. Staff explained referrals were first accepted onto the NHS trust's referral system for vetting then passed to the service to be uploaded onto its electronic booking system. This meant inpatients (from the adjoining NHS trust) always had their notes with them which included any treatment escalation plans or 'do not attempt cardio-pulmonary resuscitation' (DNACPR) documentation.

Staff told us once the patient had their scan, all images were uploaded centrally to the Alliance Medical picture archive communication system and redirected from headquarters back to the practitioner license holder for reporting. There was a dedicated team centrally who oversaw and checked all images were sent within the seven-day target under the NHS England Cancer contract.

Occasionally scans were outsourced to approved radiologists for reporting, which was monitored centrally. During the inspection we saw staff chasing images and results from a scan which had been performed several days ago.

## Medicines

**The service used systems and processes to safely prescribe, record and store medicines. Staff had undertaken medicines management training.**

The service had processes to ensure the right radiopharmaceutical and activity was sourced, prepared and injected into the correct patient. Radiopharmaceuticals were ordered in advance and according to the vetted request. Depending on the number of patients on the list for the day, the service could have up to three separate deliveries of radiopharmaceuticals. This was because the half-life of the isotope was quite short and would not last all day. Staff manually drew up and checked the activity of the injection using a tool on the booking system which helped calculate the volume of radiopharmaceutical to draw up based on the time of injection and half-life of the radioisotope. Injections of radioisotopes were administered in line with the IR(ME)R operator checklist for Administration of Radioisotopes for Molecular Imaging Procedures. Two members of staff double checked and recorded the doses prior to administration.

Staff followed systems and processes to administer, record and store medicines in line with the provider's policy. Staff used prefilled syringes to deliver saline flushes after administering the radiopharmaceuticals.

The service had an Ionising Radiation (Medical Exposures) Regulations (IR(ME)R) audit schedule, which was last completed in April 2021 and was planned for its annual repeat in line with legal requirements under IR(ME)R 2017.

Radiopharmaceuticals and other medicines were stored correctly. We saw a lead safe in the radiopharmaceutical preparation room where the vials of radiopharmaceutical fluorodeoxyglucose were stored prior to injection.

The service worked in line with the Society of Radiographers (SoR) guidance referencing and worked in line with the "IR(ME)R operator checklist for Administration of Radioisotopes for Molecular Imaging Procedures. All clinical staff who

## Diagnostic imaging

administered radioisotopes had appropriate, specific training and demonstrated competence in the appropriate procedures (British Nuclear Medicine Society Professional Standards Committee, 2016). However, we found medicines management was optional training for staff on the online platform although the unit manager explained this was not something they could alter at unit level, but were aware it was mandatory.

Radiologists held appropriate IR(ME)R practitioner licenses for the administration of each radiopharmaceutical. These licenses were stored and coordinated centrally at the provider headquarters to ensure they were up-to-date and reflected the types of examinations being undertaken in the service. We reviewed the licenses for the unit and found they were in date. Information in them reflected the examinations undertaken with a clear line of delegation for injecting radiopharmaceuticals. We also saw the documents giving authority to order and inject radiopharmaceuticals referenced the correct licence certificate numbers.

### Incidents

**The service managed patient safety incidents well. Staff recognised incidents and near misses and reported them appropriately. Managers investigated incidents and shared lessons learned with the whole team and the wider service. Managers ensured that actions from patient safety alerts were implemented and monitored but were not always effective. When things went wrong, staff apologised and worked with organisation to give patients honest information and suitable support.**

Staff knew what incidents to report and how to report them. All staff members had access to the incident reporting system. There was a clear policy and pathway to guide staff to identify and report incidents. The service had not recorded any never events. There had been no serious incidents reported in the past twelve months.

Managers shared learning with their staff about incidents and learning that happened at the centre and from other centres around the country. Staff were aware of a serious incident which occurred at another PET-CT centre where some processing software had been switched off following some maintenance on the scanner. As a result of this incident, a clear set of actions had been established including a check box on the maintenance handover forms to indicate that all software was installed and working. Staff we spoke to were aware of this incident and the learning from it. However, we saw the handover forms currently in use were not the most up to date and did not include this tick box.

Staff understood the duty of candour and could give examples of situations where it had been verbally applied. However, the service had not had any incidents requiring formal duty of candour.

Staff reported incidents clearly and in line with the service's policy and received feedback from investigations. Staff met to discuss the feedback and look at improvements to patient care. For example, we saw feedback from incidents all around the business were shared on a monthly basis through a 'risky business' newsletter.

Managers investigated incidents thoroughly, and action taken as a result was effective. We reviewed incidents reported between June 2021 and June 2022 and saw the service recorded 17 incidents.

There had been no incidents reportable under Ionising Radiation (Medical Exposures) Regulations (IR(ME)R) in the 12 months prior to our inspection.

### Are Diagnostic imaging effective?



# Diagnostic imaging

Inspected but not rated 

We inspect but do not currently rate effective for diagnostic imaging.

## Evidence-based care and treatment

**The service provided care and treatment based on national guidance and evidence-based practice. Managers checked to make sure staff followed guidance.**

Staff followed up-to-date policies to plan and deliver high quality care according to best practice and national guidance. Policies and procedures were made available to staff at provider and site-specific level for the service. For example, in relation to Ionising Radiation Regulations (IR(ME)R) 2017, which regulate the protection against exposure to ionising radiation due to staff roles. The scanning protocols and procedures were reviewed and approved by a consultant radiologist and Ionising Radiation (Medical Exposures) Regulations (IR(ME)R) practitioner license holder in the case of positron emission tomography (PET) scanning.

Staff understood and followed best practice guidance including Ionising Radiation (Medical Exposure) regulations 2017 (IR(ME)R).

The service ensured radiation doses were kept as low as reasonably practicable. Doses for each PET scan were pre-defined and measured to ensure the correct amount of radiopharmaceutical was used for each patient. Dose reference levels were clearly displayed in the lab and control room and the registered manager undertook an audit of doses, to ensure they were within legal limits and investigated any incidents where doses fell outside of the 10% tolerance allowed.

The service had an image optimisation team who reviewed around 10% of scans for each centre per month. Images were graded one to five, one being the poorest score and five the highest. Image and reporting quality were audited within the service and compared to national outcomes across the organisation. We requested the latest image quality audit which showed that between April 2021 and March 2022, the service reviewed 341 scans of which 253 (74%) received grade five (the highest quality grading) and 84 (24.6%) were graded four. Four scans (1.2%) were graded three which meant the scan was sub-optimal and impacted on the diagnostic value of the images. This compared with an average of 90.69% (grade five) across all Alliance Medical PET-CT Centres nationally. No scans at Bristol were graded one or two. The registered manager explained that although the department fell under the average across all sites, scans graded 4 and 5 did not impact on the diagnostic quality of the scan.

The service ensured it identified and implemented relevant best practice and guidance, such as National Institute for Health and Care Excellence (NICE) guidance. Staff signed to say they had read and understood the policies and procedures. When policies and procedures were updated, staff were advised by the organisation or registered manager of the change and often updated policies were highlighted and discussed at team meetings. Significant changes were also discussed as part of weekly quality and risk calls (formerly bronze calls) which all registered managers in Alliance Medical Limited attended. These calls were also recorded and disseminated across the organisation.

## Nutrition and hydration

**Staff gave patients enough food and drink to meet their needs and improve their health. They used special feeding and hydration techniques when necessary. The service made adjustments for patients' religious, cultural and other needs.**



# Diagnostic imaging

Staff made sure patients had enough to eat and drink including those with specialist nutrition and hydration needs. Patients were provided with specific instructions relating to eating and drinking prior to their scan within the appointment/booking information. This included fasting and only drinking water for a period of time.

There were facilities for hot and cold drinks plus biscuits for patients after they had their scan. Patients were recommended to sit in the waiting room while they had a drink and biscuit before leaving their appointment.

The service had processes for vulnerable patients who required pre-examination fasting or drinking. Diabetes management was considered at the initial safety review. If patients had type one diabetes, they were booked for their scan late morning. This enabled the patient to have their insulin, breakfast and then have nothing orally for four hours. Patients with type two diabetes had earlier morning appointments to enable them to miss medicines and breakfast and so be suitably fasted for their appointments.

## Pain relief

**Staff assessed and monitored patients regularly to see if they were in pain, and to see if they were comfortable.**

The scanning procedures were painless, but staff monitored and checked with patients throughout the scan to ensure they were comfortable. Staff assisted patients to access the scanning machine and helped position them appropriately.

No pain-relieving medicines were used within the service.

## Patient outcomes

**Staff monitored the effectiveness of care and treatment. They used the findings to make improvements and achieved good outcomes for patients. The service had been accredited under relevant clinical accreditation schemes.**

Staff always had access to up-to-date, accurate and comprehensive information on patients' care and treatment. All staff had access to an electronic records system (including bank and agency staff) they could all update, although the service did not have access to the acute trust radiology booking system on the site.

The service participated in relevant national clinical audits. The service regularly reviewed the effectiveness of care and treatment through local audit and national audit with a structured audit programme. These audits included a monthly hand hygiene, an annual image quality and an annual Ionising Radiation (Medical Exposures) Regulations (IR(ME)R) audit. The service was accredited by the Quality Standards for Imaging and had been re-inspected in July 2021.

All PET-CT reporters were included in the national programme of audit scheme. This was a randomised 10% surveillance audit undertaken by auditors independent to the reporting clinicians. This was a centrally coordinated audit process carried out by the organisation. The results were held centrally, with feedback provided throughout the year to reporters to allow for reflection and improvement of practice.

## Competent staff

**The service made sure staff were competent for their roles. Managers appraised staff's work performance and held supervision meetings with them to provide support and development.**

## Diagnostic imaging

Staff were experienced, qualified and had the right skills and knowledge to meet the needs of patients. New staff were provided with induction training, which included a one-day corporate induction and managers gave new staff a full induction tailored to their role before they started work. A mentor was allocated to new staff and provided support with their induction programme and through their six-month probation period.

Staff had the opportunity to discuss training needs with their line manager and were supported to develop their skills and knowledge. Managers supported staff to develop throughout the year with constructive appraisals of their work. All staff working at the service over the past year had received an annual appraisal.

The annual appraisal was linked to a pay review and completed jointly by the staff member and the registered manager. Topics discussed included mandatory training, core values and behaviours, career conversation, and a learning development review. A further mid-year review of individual objectives also took place.

Managers made sure staff received any specialist training for their role by identifying any training needs their staff had and gave them the time and opportunity to develop their skills and knowledge. All staff had undertaken either undergraduate or postgraduate training in nuclear medicine and had attended further training courses to learn new skills. For example, staff were given the opportunity to attend a variety of specialist courses at a centre of excellence in cancer care. One member of staff was also working towards a university accredited qualification with potential to continue to a full BSc (Hons) in diagnostic radiography.

It was optional for staff to complete training on recognising and responding to patients with mental health needs, learning disabilities, autism and dementia. Dementia awareness and Mental Capacity Act training did not appear on the mandatory list of training subjects' staff were expected to maintain. However, we saw all staff had completed this training.

Staff who administer radiopharmaceutical medicines as part of clinical nuclear procedures should receive appropriate, specific training and demonstrate competence in the appropriate procedures (British Nuclear Medicine Society Professional Standards Committee, 2016). However, we found medicines management was optional training for staff although the unit manager was aware it was mandatory (in line with company policy).

The service ensured relevant staff continued to maintain registration with relevant bodies. Managers also explained if a staff member was required to submit evidence of their continuous professional development as part of their revalidation, they would be given time and support during work hours to complete this. The service held records to show the professional registration for the clinicians was checked annually with the professional body. For example, radiographers were registered with the Health and Care Professions Council and other nuclear medicine practitioners were voluntarily registered with the Institute of Physics and Engineering in Medicine (IPEM).

Role specific continuous development and maintenance of existing skills and competencies was an ongoing process. For example, peripheral vascular device insertion. Audits took place monthly to ensure staff maintained their competency and provided good outcomes for patients during their appointment at the centre.

### Multidisciplinary working

**Doctors, nurses and other healthcare professionals worked together as a team to benefit patients. They supported each other to provide good care.**

# Diagnostic imaging

Staff contacted wards, surgeries and other health care professionals to discuss any specific health care needs in preparation for the scan. They telephoned all patients or their carers to discuss the preparation needed and confirmed the conversations with an email or letter.

Staff worked closely with referring consultants from the acute trust and Ionising Radiation (Medical Exposures) Regulations (IR(ME)R) practitioner licence holders and other designated reporters. Liaison and communication took place by telephone, email and in face-to-face meetings.

A twice-yearly radiation protection committee meeting was held where the medical physics expert (who was also the radiation protection advisor) from the acute trust attended. The purpose of the meetings was to identify various topics for discussion including emergency contingency plans, any reported radiation incidents and review of the monthly radiation scenario training provided to staff. We saw minutes of these meetings, which showed they were consistently attended, that last being February 2022. Managers explained meeting minutes were held centrally, but we also saw key themes and highlights shared with all staff. All meeting minutes were made available to staff on a central database.

## Seven-day services

**Key services were available to support timely patient care.**

The service provided PET-CT scans on Monday to Friday from 07.30 am to 7.30 pm. The unit manager explained that when demand fluctuated, staff would put on additional Saturday scanning lists or extend their working days to accommodate extra scans.

## Health promotion

**Staff gave patients practical support and advice to lead healthier lives.**

There was limited health promotion available to patients in the centre as information provided related to the procedure being undertaken. Patients were advised not to smoke for six hours prior to the scan and were provided with information regarding when they could eat or drink, before and after the scan.

## Consent, Mental Capacity Act and Deprivation of Liberty Safeguards

**Staff supported patients to make informed decisions about their care and treatment. They followed national guidance to gain patients' consent.**

Staff gained consent from patients for their care and treatment in line with legislation and guidance. Staff understood how and when to assess whether a patient had the mental capacity to make decisions about their care. If staff felt a patient lacked the capacity to consent to the procedure, they would seek further advice. Patients were provided with written and verbal information prior to their appointment to enable them to understand the planned diagnostic test.

Staff knew how to support patients who lacked capacity to make their own decisions or were experiencing mental ill health, and we saw training records supported this. A checklist for inpatients was in use, which took account of mental capacity, so staff were aware of any concerns in advance of the patient's scan.

# Diagnostic imaging

## Are Diagnostic imaging caring?

Good 

We have not rated caring before. We rated it as good.

### Compassionate care

**Staff treated patients with compassion and kindness, respected their privacy and dignity, and took account of their individual needs.**

Staff were discreet and attentive when caring for patients. Staff took time to interact with patients and those close to them in a respectful and considerate way. Each patient was provided with an individual room, known as the uptake room, to change into any gown or clothing needed. Each cubicle had a basket for the patients' belongings to be stored safely. Music was available in the rooms whilst the patient waited for their scan. The rooms had closed circuit television (CCTV), which fed to the monitor in the main control room. The CCTV was used to enable patient's privacy but also so staff could ensure their safety. There was signage to inform patients of the use of CCTV.

Patients said staff treated them well and with kindness. We saw staff spoke to patients in a friendly and considerate manner and gave a high standard of care. Patients were offered a chaperone if requested. All four patients we spoke with made positive comments about staff. One patient said that treatment by staff "put them at ease".

Staff followed policy and kept patient care and treatment confidential. The unit manager's office was available if patients wished to have a private conversation on arrival or at any point during their time in the department.

Staff understood and respected the personal needs of patients and how they may relate to care needs. Staff provided longer appointment slots to patients who needed them. Staff made sure necessary equipment was available to help patients with mobility difficulties.

### Emotional support

**Staff provided emotional support to patients, families and carers to minimise their distress. They understood patients' personal, cultural and religious needs.**

Staff gave patients help, emotional support and advice when they needed it. All four patients we spoke to said that staff had been helpful and supportive. Staff supported anxious patients by arranging for them to see the scanner before their appointment date. Staff provided patients choices to listen to music during scans. Staff signposted patients with high anxiety to their GP for a low dose of sedative to take before their scans.

Staff supported patients who became distressed in an open environment and helped them maintain their privacy and dignity. Staff explained that sometimes patients did not know if they were claustrophobic, so if a patient could not tolerate their scan, staff worked with them to either re-attempt the scan or to rebook and directed the patient to obtain mild sedation from their GP. Where patients were unsure if they could tolerate a scan, they were invited to do a 'trial run' before being injected with the radioactive isotope.

Staff understood the emotional and social impact a person's care, treatment or condition had on their wellbeing and on those close to them. Patients told us staff understood the sensitive nature of the treatment and took this into account when speaking to them.

# Diagnostic imaging

## Understanding and involvement of patients and those close to them

**Staff supported patients, families and carers to understand their condition and make decisions about their care and treatment.**

The centre specialised in PET-CT scans and staff ensured any specific concerns were addressed before scanning commenced. For example, how radioactive they would be and for how long.

Staff made sure patients understood their care and treatment. All four patients we spoke to said staff had explained care and treatment clearly. One patient said, “all staff including the administrative staff were so kind and patient”. Another patient said, ‘the information sent to me had helped me prepare for my appointment’.

Staff could provide written information to patients in different languages and in large print.

Patients and their families gave positive feedback on the service and their treatment and staff supported them to do this. Staff supported patients to make advanced decisions about their care as patients were provided with information in before their appointment to inform them about the treatment procedure and were available for any queries.

Staff talked with patients in a way they could understand, using communication aids where necessary. All four patients we spoke to said that staff had given them clear information.

Staff used electronic tablets, hearing loops, and translation services to aid communication.

Patients and their families could give feedback on the service and their treatment and staff supported them to do this. We reviewed recent feedback from May 2022 which showed 95% of patients were either satisfied or very satisfied with their experience. Where patients had indicated they were unsatisfied or extremely unsatisfied, we saw actions recorded to address any specific issues.

Staff supported patients to make advanced and informed decisions about their care. Patients told us they were provided with a wide range of documentation to explain their treatment and we saw staff gained their consent and explained each procedure.

## Are Diagnostic imaging responsive?

We have not rated responsive before. We rated it as good.

## Service delivery to meet the needs of local people

**The service planned and provided care in a way that met the needs of local people and the communities served. It also worked with others in the wider system and local organisations to plan care.**

Managers planned and organised services, so they met the changing needs of the local population. The service was commissioned by an acute NHS trust to patients referred through the NHS and as part of a national cancer contract through NHS England.

# Diagnostic imaging

The service provided PET-CT scans performed by specialist staff on five days a week with occasional weekend days to meet increased demand.

Facilities and premises were appropriate for the services being delivered. The environment was appropriate, and patient centred. The waiting room was located in the main atrium of the hospital and was a good size and seating was available for the number of patients and relatives attending the clinic and allowed for social distancing. There was one toilet available, exclusively for patients receiving radiopharmaceuticals, to prevent the risk of cross contamination.

The service had systems to help care for patients in need of additional support. For those patients coming from the inpatient wards, timing was considered to support their other medical needs. For example, patients' medicines and treatments were considered and appointments fitted around the needs of the patient as well as dietary needs including for diabetic patients where fasting was required. Information was gathered using a dedicated inpatient questionnaire.

Managers monitored and took action to minimise missed appointments. Information about the unit and the procedures were provided with the appointment details. Staff were also available by telephone to discuss any concerns. When booking appointments, staff considered the time and location of each patient. Patients arriving by ambulance were accommodated in line with availability of transport but were not booked in the afternoon to ensure there were always staff in the department should transport be delayed.

Managers ensured patients who did not attend appointments were contacted. From 30 June 2021 to 13 June 2022 there were 40 appointments where the patient did not attend. This data was monitored centrally, and we saw the report also held specific information about why an appointment was missed. Managers explained if there was no obvious reason for the missed appointment, they would contact both the referrer and patient to seek to re-appoint the scan as soon as possible if it was still required.

There was enough car parking, including disabled parking, available nearby to the centre on the hospital site with charges set by the acute trust. Public transport was available and accessed the hospital site.

Staff explained that from time to time appointments had to be rearranged at very short notice when the radiopharmaceutical failed part of its quality assurance. Alliance medical had four national sites for radiopharmaceutical production, but also had a contract with another independent provider who could dispense radiopharmaceuticals in the event of quality assurance (QA) failure.

Emergency scanning slots were kept each day in case of urgent or inpatient referrals or to accommodate re-booked patients in the event of radiopharmaceutical QA failure. The department also held one scanning slot each day for urgent patients discussed at multi-disciplinary meetings the day before.

## Meeting people's individual needs

**The service was inclusive and took account of patients' individual needs and preferences. Staff made reasonable adjustments to help patients access services. They coordinated care with other services and providers.**

Staff made sure patients living with mental health needs, learning disabilities or dementia, received the necessary care to meet their needs. All staff had undertaken training in dementia awareness; however, it was not considered part of the mandatory training subjects required by the provider.

# Diagnostic imaging

Information was provided to service users before appointments, which included contact details, hospital map and directions, consultant's name and any information about fasting required. Where a patient's first language was not English, translation services either by telephone or face to face were used to explain the scan. Staff told us relatives were never used to translate due to the complexity and safety of the scans. However, the unit manager explained that relatives were sometimes used to help patients communicate. For example, a patient who did not speak English struggled to notify staff they were having a diabetic hypoglycaemia episode.

Staff understood and applied the policy on meeting the information and communication needs of patients with a disability or sensory loss. For patients who were visually impaired, staff ensured an appropriate person would be able to read the safety questionnaire and consent questions and complete the form on the patient's behalf.

The service managed care of vulnerable service users by allowing a double appointment and therefore twice the time, for patients living with dementia or learning disabilities. For patients who required support from their carer, they were able to stay with the patient for the PET scan but not for the CT scan. However, the carer would be able to talk to the patient from the control room.

Patients who suffered with claustrophobia could find the scan daunting. Patients were encouraged to visit their GP and obtain a prescription for a sedative. The staff liaised with the patient regarding the optimum time to take the sedative to correspond with the scan time. Additionally, staff told us they would invite patients into the scanner to see and lie in it before their actual appointment.

There was access to communication aids to help patients become partners in their care and treatment. The service had information leaflets available in other languages spoken in the local community or an 'easy read' format.

Translation and interpretation services were available on request through a telephone service line for patients whose first language was not English. A hearing loop was available at reception and was portable and could be moved around the unit.

## Access and flow

**People could access the service when they needed it and received the right care promptly. Waiting times for treatment were in line with national standards.**

Managers monitored waiting times and made sure patients could access services when needed and received treatment within agreed timeframes and national targets. The contract was commissioned by NHS England and required patients to be scanned and the images, together with the associated report, returned to the referring clinician within seven days of receipt of the referral. The exception to this was if there was a clinical indication for the scan to be booked for a specific date, such as treatment or surgery. At the time of inspection, 28 patients were waiting for their scan which equated to a five day wait. Staff explained that patients remained on the waiting list until they had their scan, even if the scan was postponed for a valid reason.

Managers worked to keep the number of cancelled appointments to a minimum. Between June 2021 and June 2022, 798 appointments had been cancelled or rescheduled. This was mainly due to failure of patient transport; the radioisotope not being delivered on time or being delayed by the manufacturing process. Many of the reasons recorded were outside of the service's control. This included failure in the manufacture of the radioisotope, which accounted for

# Diagnostic imaging

163 of the appointments. The radioisotope was a form of natural elements used to pass through the body and be detected by the scanner. A leaflet was sent to patients explaining the process of the isotope being made in a facility in North Staffordshire and transported by road to the centre. Of the 798 appointments cancelled or rescheduled, 210 were cancelled by the service and re-scheduled.

The service managed 'did not attend' rates. When patients did not attend a pre-booked scan, a reminder letter was sent with a further appointment. Staff attempted to telephone the patient to establish the reason for the absence and make sure the scan was rebooked. Should contact not be successful or the second appointment not attended, the administrative staff contacted the referrer and discussed the next course of action.

Managers and staff worked to make sure patients did not stay longer than they needed to. When patients had their appointments cancelled at the last minute, managers made sure they were rearranged as soon as possible and within national targets and guidance.

Patients were offered a choice of appointments and appointments were available in other areas, to ensure patients were seen promptly. Administrative staff discussed capacity across the region. If it was not possible for a patient to be seen in Bristol, they were allocated an appointment, with the patient's agreement, in another centre. Although staff explained this was rare.

Same day or next day appointments were available if needed. The patient was contacted by telephone to complete the booking process. Where reasonable, the next available appointment space was allocated. If needed, a longer working day was planned to meet demand. The unit manager explained they had improved communication with patients discussed at multidisciplinary meetings so they were aware there was a chance they would be called for a short notice scan.

Patients were kept informed of any delays once they arrived in the department. Patients were given the choice to wait or come back in a set amount of time later.

The diagnostic service ensured it supported achievement of national cancer waiting standards, including implementation of rapid diagnostic and assessment pathways. As part of the monitoring process under the NHS England national cancer contract, the service reported on its reporting turnarounds on a weekly basis to NHS England. Data showed between 1 May 2022 and 31 May 2022, 88.4% of NHS patients had their report turned around in under seven days.

## Learning from complaints and concerns

**It was easy for people to give feedback and raise concerns about care received. The service treated concerns and complaints seriously, investigated them and shared lessons learned with all staff.**

The service clearly displayed information about how to raise a concern in patient areas. The organisations 'concerns and complaints' leaflets were available in reception. Patients told us should they need to raise any concerns or a complaint they would start by speaking to the staff.

Staff understood the policy on complaints and knew how to handle them.



## Diagnostic imaging

The service had an in-date complaints and concerns policy stating the roles, responsibilities and processes for managing complaints. The registered manager was responsible for dealing with all complaints. Complaints were initially responded to within two days by telephone or email depending on patient preference. The unit had no complaints and a high level of patient satisfaction.

Managers investigated complaints and identified themes and where appropriate, shared feedback from complaints with staff and learning was used to improve the service.

Staff could give examples of how they used patient feedback to improve daily practice. Staff undertook a monthly analysis of feedback from patients. We saw monthly action logs recording feedback and actions taken as a result.

### Are Diagnostic imaging well-led?

Good 

We have not rated well-led before. We rated it as good.

### Leadership

**Leaders had the skills and abilities to run the service. They understood and managed the priorities and issues the service faced. They were visible and approachable in the service for patients and staff. They supported staff to develop their skills and take on more senior roles.**

Leaders had the skills, knowledge, experience and integrity they needed both when they were appointed and on an ongoing basis. The registered manager was also overseeing another PET-CT unit whilst the new manager was settling into their new role. Support was provided to the registered manager by a regional manager. The regional manager and registered manager met every two months. This provided the regional manager with the opportunity to speak to staff on site during their visit. Staff we spoke with were aware of the leadership roles and understood the reporting structure.

The registered manager understood the needs of the service well, through attending regional and national meetings and liaising with the commissioners of the service.

### Vision and Strategy

**The service had a vision for what it wanted to achieve and a strategy to turn it into action, developed with relevant stakeholders. The vision and strategy were focused on sustainability of services and aligned to local plans within the wider health economy. Leaders and staff understood and knew how to apply them and monitor progress.**

The provider had a clear vision and a set of values, with quality and sustainability as the top priorities. The organisation had developed a corporate vision, values and strategy which had been shared with the staff. A strategy wheel had been produced by the organisation together with information booklets which had been provided to staff. The registered manager described the aim, which was to engage staff and improve communications across the organisation. Leaders understood the challenges to quality and sustainability, and they could identify the actions needed to address them.

# Diagnostic imaging

## Culture

**Staff felt respected, supported and valued. They were focused on the needs of patients receiving care. The service promoted equality and diversity in daily work and provided opportunities for career development. The service had an open culture where patients, their families and staff could raise concerns without fear.**

The staff we spoke with during inspection were open and friendly and spoke positively about working at the unit. They felt supported, respected, valued and proud to work for the organisation.

The service sought more information when patients' feedback showed dissatisfaction. We reviewed four policies and procedures and saw all had equality impact assessments completed. This ensured they had considered the needs of staff and patients and reflected on the potential effects the policy may have on people with protected characteristics.

The provider conducted a survey of staff, 'Response to the Pandemic Survey 2021' where 78% respondents agreed or strongly agreed with the statement that they were proud to have been part of Alliance Medical Limited response to the pandemic.

Staff were aware of the providers whistleblowing policy and the service had a freedom to speak up guardian.

## Governance

**Leaders operated effective governance processes, throughout the service and with partner organisations. Staff at all levels were clear about their roles and accountabilities and had regular opportunities to meet, discuss and learn from the performance of the service.**

Governance arrangements for monitoring staff training were effective although it was not clear what training was optional and what was mandatory. However, the registered manager was aware of this and had ensured all training data had been entered into the central database, so it generated reminders when the training was due to expire. Additionally, the manager held a separate spread sheet which they updated regularly before updating the central database.

The certificate for the administration of radioactive medicinal products, which was issued to the overseeing consultant for the unit and contained in the providers procedure for delegating radiopharmaceutical responsibility, was in date and we saw the license number was reflected on both the authority to inject and authority to order schemes of delegation in line with legal responsibilities.

Checks and audits were carried out to assess the quality of the service provided to patients. The centre underwent an annual quality assurance inspection, which showed an overall compliance score of 84%. The service did not have a target to achieve but excellent was considered over 95% and good 80-94.5%. Areas identified for improvement centred mostly around updating some risk assessments and audits. For example, the fire risk assessment completed by the host site was missing.

There were structures, processes and systems of accountability to support the delivery of the strategy and good quality, sustainable services. Staff at all levels were clear about their roles and understood what they were accountable for, and to whom. Policies and procedures were available to staff on the company website and were reviewed regularly and updated in line with national guidance and legislation.

# Diagnostic imaging

Medical physics support was provided by the hosting NHS trust. Staff were clear on who their radiation protection advisor and medical physics expert were and could describe how to contact them. We saw evidence in incident logs of the medical physics experts' input in incidents involving radiation or requiring advice.

The service ensured all staff underwent appropriate checks as required by Schedule 3 of the Health and Social Care Act 2008 (Regulated Activities) Regulations 2014. Staff were recruited in line with national guidance and the effective recruitment process ensured staff were competent, capable and confident in their area of practice. The registered manager was supported in the recruitment processes by the organisation's human resources department. Checks on staff continued professional registrations, where applicable, were undertaken annually.

## Management of risk, issues and performance

**Leaders and teams used systems to manage performance effectively. They identified and escalated relevant risks and recorded identified actions to reduce their impact. They had plans to cope with unexpected events.**

The provider had a current incident management framework and associated procedures policy. The provider had adopted a new risk register format and we saw the unit was using this with 21 risks recorded. All the risks were added and reviewed in April 2022 with clear review dates for all. All risks had a target or current risk rating. We requested minutes of the weekly Quality and Operations briefings (formerly Bronze calls) in which all registered managers in Alliance Medical Limited attended for evidence of discussion of risk. We saw they showed comprehensive discussion of serious incidents and learning shared from all areas of the business.

The provider had a programme of clinical and internal audit to monitor quality and operational issues.

The registered manager used a live spreadsheet to centralise and monitor all ongoing, completed and outstanding actions from inspections, feedback and meetings.

The service had back up emergency generators in case of failure of essential services. Although it would not be possible to scan on the emergency generator as it did not create sufficient output to power the scanners.

Staff were kept informed of audits, themes and safety issues through a weekly 'Gatekeeper' newsletter.

The service had remote primary and acute care system support from 07.30 am and 7.30 pm, five days a week. Scanning did not take place outside of these hours. Staff were aware of how to contact picture archive communication (PACS) support if needed.

## Information Management

**The service collected reliable data and analysed it. Staff could find the data they needed, in easily accessible formats, to understand performance, make decisions and improvements. The information systems were integrated and secure. Data or notifications were consistently submitted to external organisations as required.**

The unit had simple systems all staff could access. Staff demonstrated how easy it was to pull data from the system and could present this in several formats to help with understanding and analysis of the unit's day-to-day running.

Quality information was collated through patient, referrer and staff surveys, clinical audits, service reviews and key performance indicators. The service had an established electronic information and patient record system and systems were password protected.

# Diagnostic imaging

The service had a range of policies including medicines quality, information security and procedures relating to radioactive materials and licences. The confidentiality of electronic patient information was maintained, and staff had access to the general data protection regulation policy.

## Engagement

**Leaders and staff actively and openly engaged with patients, staff, the public and local organisations to plan and manage services. They collaborated with partner organisations to help improve services for patients.**

Patient's views and experiences were gathered and acted on to shape and improve the services and culture. The unit asked for feedback following each scan. Feedback was used to evaluate the service and the feedback we reviewed was mostly positive.

Staff meetings were held each month. Staff told us a variety of things were discussed including serious incidents, feedback from the 'risky business' newsletters and key messages from registered manager quality and risk calls.

There was transparency and openness with all stakeholders about performance and the latest Quality Accounts 2020/21 were available on the providers website to download.

## Learning, continuous improvement and innovation

**All staff were committed to continually learning and improving services. They had a good understanding of quality improvement methods and the skills to use them. Leaders encouraged innovation and participation in research.**

Leaders and staff strived for continuous learning, improvement and innovation through participating in further education at cancer specialist hospitals. The provider encouraged staff to actively seek out further education to improve delivery of the service.

Managers planned continuous development of the unit by increasing the size of the team, exploring increases in capacity and were involved in various research trials and the development of different types of scans they could undertake to improve patient experience.

Staff supported various research trials from a nearby NHS teaching trust and facilitated scans as and when required.

This section is primarily information for the provider

## Requirement notices

### Action we have told the provider to take

The table below shows the legal requirements that were not being met. The provider must send CQC a report that says what action they are going to take to meet these requirements.

#### Regulated activity

Diagnostic and screening procedures

#### Regulation

Regulation 12 HSCA (RA) Regulations 2014 Safe care and treatment

Staff were not following company policy to consistently carry out patient identity checks, in line with legislation.

#### Regulated activity

Diagnostic and screening procedures

#### Regulation

Regulation 12 HSCA (RA) Regulations 2014 Safe care and treatment

Staff were not following company policy to ensure of all persons of child bearing age were asked about the possibility pregnancy or breastfeeding, in line with legislation.