

Larchwood Care Homes (North) Limited

The Chanters

Inspection report

Tyldesley Old Road
Atherton
Manchester
Lancashire
M46 9AF

Tel: 01942884500

Date of inspection visit:
04 February 2021

Date of publication:
12 February 2021

Ratings

Overall rating for this service	Inspected but not rated
---------------------------------	-------------------------

Is the service safe?	Inspected but not rated
----------------------	-------------------------

Summary of findings

Overall summary

The Chanters is a purpose built care home registered to provide personal care and support. The service accommodates up to 40 people. Accommodation is provided over two floors and there is lift access. At the time of inspection 38 people were living at the service.

We found the following examples of good practice.

The service had updated their policies and procedures to ensure infection prevention and control (IPC) processes were robust. The front of the service had visible signage to inform visitors of COVID-19 risks. All visitors had their temperatures checked and were asked about symptoms before entering.

The provider had implemented a visitation room which included separate entry points for visitors and people, and both parties were separated with a perspex screen. Personal protective equipment (PPE) was available in the room for visitors and cleaning processes were in place after each visit. Risk assessments had been implemented for each visit.

The service was working closely with Wigan Council's health protection team where telephone and physical support was regularly provided. The service was conducting regular infection control audits, to ensure IPC processes were robust.

Donning and doffing stations were situated in the service and personal protective equipment (PPE) was available throughout the building. Staff had designated areas to change into their uniforms and staff uniforms were washed on site. All staff had received training in IPC and PPE in relation to COVID-19.

Cleaning regimes and products had been changed to ensure robust processes were in place and that the products were suitable for COVID-19. Cleaning had been increased throughout the service and domestic staff's hours had been increased by 10 percent.

The five questions we ask about services and what we found

We always ask the following five questions of services.

Is the service safe?

Further information is in the detailed findings below.

Inspected but not rated

The Chanters

Detailed findings

Background to this inspection

We carried out this inspection under Section 60 of the Health and Social Care Act 2008 as part of our regulatory functions. This inspection was planned to check whether the provider is meeting the legal requirements and regulations associated with the Health and Social Care Act 2008.

As part of CQC's response to the coronavirus pandemic we are looking at the preparedness of care homes in relation to infection prevention and control. This was a targeted inspection looking at the infection control and prevention measures the provider has in place.

This inspection took place on 4 February 2021 and was announced.

Is the service safe?

Our findings

S5□ How well are people protected by the prevention and control of infection?

- We were assured that the provider was preventing visitors from catching and spreading infections.
- We were assured that the provider was meeting shielding and social distancing rules.
- We were assured that the provider was admitting people safely to the service.
- We were assured that the provider was using PPE effectively and safely.
- We were assured that the provider was accessing testing for people using the service and staff.
- We were assured that the provider was making sure infection outbreaks can be effectively prevented or managed.
- We were assured that the provider's infection prevention and control policy was up to date.

We have also signposted the provider to resources to develop their approach.

- Cleaning regimes had increased and some checklists were used, however a specific checklist for high touch surfaces was not in place.